

CANONICAL ENTRY 29 / 74

Diabetes

Endocrine & metabolic

CANONICAL SOURCE - VERBATIM

Primary physiological consideration is a malfunction in the pancreas gland with ramifications that extend through coordination with the liver. There is a tendency in the pancreas in diabetes type 1 and 2 to create too much sugar and handle carbohydrates in such a way that form an excess of sugar.

Causation linked to disturbance in cerebrospinal centers: 6th, 7th, 8th, and 9th dorsal sympathetic ganglia. These give impulse to the liver and pancreas primarily, as well as the spleen, that brings an imbalance through the pancreas and the circulation and the coordination between the liver and pancreas, thus causing glycosuria - diabetes.

In appraising the need for therapy, osteopathic or chiropractic manipulation will not always be necessary, but will certainly always be useful.

Dietary correction is highly useful and has more to do with the helpful reactions in therapy than any other application.

Therapy:

- Osteopathic manipulation

- Enlightened Athletics Dietary Protocol with Jerusalem artichokes 3 to 6 times weekly (alternate between cooked and raw);

plenty of fruits, especially apples; leafy vegetables; Little coffee or tea and without cream or sugar; no carbonated beverages or alcohol

CANONICAL COMPANION SET

Esoteric Anatomy for Healing and Revelation

Enlightened Athletics Dietary Protocol